





AWNINGS





Price list no 109-MDA-2019





rectangular full-cassette

- Modern rectangular shape
- Adheres perfectly:



- Integrated LED lighting in the cassette (extra charge)



PATENT

Net price [Euro]

LED
in cassette
320

Net price [Euro]

width [cm]	projection [cm]		
	250	300	350
300 - 420	2 730	-	-
421 - 480	3 115	3 205	3 370
481 - 515	3 190	3 255	3 475
516 - 600	3 605	3 745	3 920

3rd class of wind resistance

2nd class of wind resistance



Standard construction colours:



* EXTRA CHARGE 5%


In standard:

- Wall or ceiling installation - only on two end brackets
- Fabrics . . . brown & silver collection
- Angle of inclination 15°

Extra charge:



- motor **SOMFY** without NHK (required) p. 28
- LED lighting (in the cassette)
- Fabrics gold collection
- Repainting the construction impossible

Real colours can be slightly different than colours above.



full-cassette

- Simple, elegant timeless shape



- Cassette with aluminum end caps
- Modern design
- Fabric protection after closing cassette
- Very quiet closing the cassette

WALL CEILING



Standard construction colours:



Real colours can be slightly different than colours above.

Net price [Euro]

width [cm]	projection [cm]		
	200	250	300
300	2 045	2 155	-
400	2 120	2 245	2 395
480	2 315	2 440	2 595

3rd class of wind resistance

2nd class of wind resistance

In standard:

- Wall or ceiling installation - only on two end brackets
- Fabrics . . . brown & silver collection
- Angle of inclination 15°

Extra charge:

- motor **SOMFY** without NHK (required) p. 28
- Fabrics gold collection
- Repainting the construction impossible




NEW

PATENT

System patented by LLAZA company with the only in the world arms with fully shielded arm joint (elbows)





small full-cassette



Ceiling installation



Wall installation



Tolerance in overall width is ± 2 cm

Distance between brackets axes is 10 cm smaller than the total width of Presto awning.



Steel bracket

Net price [Euro]

width [cm]	projection [cm]			
	150	200	250	300
aluminium bracket wall / ceiling				
240	1 305	-	-	-
300	1 460	1 525	1 630	-
360	1 545	1 605	1 715	-
steel bracket wall / ceiling				
420	-	1 890	2 015	2 105
480*	-	2 195	2 210	2 300
540*	-	2 195	2 210	2 300

* There may be a small gap in closed cassette.

dimension [cm]	
fabric	in total
231	249
289	307
349	367
407	425
467	485
524	542

In standard:

- Min. width 220 cm
- Manual operation crank
- Wall or ceiling installation - only on two end brackets
- Fabrics . . brown & silver collection
- Angle of inclination 15°

Standard construction colours:







Real colours can be slightly different than colours above.

Extra charge:

- Motor p. 28
- Roof bracket
- Fabrics gold collection
- Repainting the construction + 20%

full-cassette



Net price [Euro]/pair


LED ARMS		
projection	RAL 9010	RAL 7016
250	425	465
300	480	530
350	670	745

LED in arms only with iO motor

Net price [Euro]

width [cm]	projection [cm]		
	250	300	350
360	2 025	-	-
480	2 305	2 520	2 635
600	2 780	2 805	2 920
700	3 165	3 390	3 640

Standard construction colours:



- In standard:
- Wall installation - sliding brackets
- Fabrics . . . brown & silver collection
- Angle of inclination 15°

Extra charge:


- LED light in arms pair
- Motor (required) p. 28
- Fabrics gold collection
- Repainting the construction impossible

Real colours can be slightly different than colours above.

semi-cassette



LED in arms (extra charge)



150 - 400 cm



Net price [Euro]

width. [cm]	arms projection [cm] on brackets:					
	PIANO 150	PIANO 200	MEZZO 250	MEZZO 300	MEZZO 350	FORTE 400
240	980	-	-	-	-	-
310	1 120	1 165	1 275	-	-	-
360	1 225	1 285	1 385	-	-	-
420	1 450	1 530	1 650	1 720	1 830	-
480						2 535
540	1 770	1 865	1 830	1 920	2 050	2 795
600	2 010	1 940	2 115	2 205	2 135	2 895
720	2 225	2 335	2 395	2 495	2 670	3 745

dimension (cm)	
fabric	in total
231	253
289	311
349	371
406	428
466	488
524	546
581	603
701	723

Arms quantity:

2 arms

3 arms

4 arms

Tolerance in overall width is ± 2 cm

Net price [Euro]/pair

LED ARMS		
projection	RAL 1013 RAL 9016 RAL 8017	RAL 9006 anthracite
250	425	465
300	480	530
350	670	745

LED in arms only with iO motor

In standard:

- Manual operation crank
- Wall or ceiling brackets p. 26
- Valances p. 29
- Fabrics . . . brown & silver collection
- Angle of inclination 15°

Extra charge:

- LED in arms pair
- Motor p. 28
- Roof bracket p. 26
- Fabrics gold collection
- Front bar support p. 26
- Repainting the construction . . + 20%

Standard construction colours:



Real colours can be slightly different than colours above.

without cassette



Net price [Euro]

	width [cm]	projection [cm]			dimension [cm]	
		250	300	350	fabric	in total
assembled awning	360	995	-	-	349	364
	420	1 160	1 260	1 360	406	421
	480				466	481
	540	1 310	1 390	1 505	524	539
	600	1 670	1 750	1 700	584	600
	720	1 850	1 965	2 115	701	717
awning in 2 halves	840	2 550	2 615	2 670	819	835
	960	2 735	2 875	3 090	934	950
	1080	3 060	3 120	3 280	1054	1070
	1200	3 300	3 540	3 745	1169	1185

Arms quantity: 2 arms 3 arms 4 arms 5 arms

Tolerance in overall width is ± 2 cm

LED			
ARMS - only with iO motor			FRONT BAR
projection	RAL 1013 RAL 9016 RAL 8017	RAL 9006 anthracite	
250	425	465	width up to 5 m 320
300	480	530	width above 5 m 400
350	670	745	

In standard:

- Manual operation crank
- Wall or ceiling brackets p. 26
- Valances p. 29
- Fabrics . . brown & silver collection
- Angle of inclination 15°

Extra charge:


- LED in arms pair
- LED in front bar
- Motor p. 28
- Roof bracket p. 26
- Fabrics gold collection
- Front bar support p. 26
- Repainting the construction + 20%
- Surcharge for fully assemble awning above 720 cm width 880 Euro

Standard construction colours:




Real colours can be slightly different than colours above.



without cassette - on two extreme brackets



Wall installation



5° ÷ 45°



Ceiling installation



Angle adjustment

1. Loosen screws **1 & 2**
2. Turn screw **3** and adjust the angle
3. Tighten screws **1 & 2**

Net price [Euro]

width [cm]	projection [cm]		
	150	200	250
240	610	-	-
300	680	725	795
360			
420	800	855	910
480			

dimension [cm]	
fabric	in total
231	241
289	299
349	359
406	416
466	476

Tolerance in overall width is ± 2 cm

Standard construction colours:



In standard:



- Min. width 196 cm
- Manual operation crank
- Wall or ceiling brackets p. 26
- Valances p. 29
- Fabrics .. brown & silver collection
- Angle of inclination 15°

Extra charge:

- Motor without NHK p. 28
- Roof bracket p. 26
- Fabrics gold collection
- Front barsupport p. 26
- Repainting the construction ... + 20%

Real colours can be slightly different than colours above.

without cassette



Net price [Euro]

width [cm]	projection [cm]		
	150	200	250
240	730	-	-
300	835	875	920
360			
420	950	1 005	1 065
480			

dimension [cm]	
fabric	in total
231	246
289	304
349	364
406	421
466	481

Tolerance in overall width is ± 2 cm
price [Euro]

width up to 5 m	LED
	FRONT BAR
	320



LED in front bar (extra charge)

In standard:

- Manual operation crank
- Wall or ceiling brackets p. 26
- Valances p. 29
- Fabrics . . brown & silver collection
- Angle of inclination 15°

Extra charge:



- LED in front bar
- Motor p. 28
- Roof brackets p. 26
- Fabrics gold collection
- Front bar support p. 26
- Repainting the construction . . + 20%

Standard construction colours:



Real colours can be slightly different than colours above.

without cassette



Arms joint

Net price [Euro]

LED	
FRONT BAR	
width up to 3 m	320
width above 3 m	400



LED in front bar (extra charge)

Net price [Euro]

	width [cm]	projection [cm]	
		350	400
assembled awning	480	1 690	1 825
	540	1 905	1 990
	600		
	720	2 455	2 550
awning in 2 halves	840	2 795	2 915
	960	3 400	3 540
	1080	3 600	3 680
	1200	3 875	4 015

dimension [cm]	
fabric	in total
466	481
524	539
584	600
701	717

Tolerance in overall width is ± 2 cm

Without extra charge (in 2 halves) Surcharge for fully assemble

awning in two halves with fabric rolled by the projection

320

Arms quantity: 2 arms 3 arms 4 arms

Standard construction colours:



In standard:

- Manual operation crank
- Wall or ceiling brackets p. 26
- Valances p. 29
- Fabrics . . brown & silver collection
- Angle of inclination 15°


Extra charge:

- LED in front bar
- Motor (required) p. 28
- Roof bracket p. 26
- Fabrics gold collection
- Front bar support p. 26
- Repainting the construction . . + 20%

Real colours can be slightly different than colours above.

BIG

without cassette



Arm's holder

Net price
with motor [Euro]

	width [cm]	projection [cm]	
		460	485
assembled awning	540	4 195	4 420
	600	4 405	4 600
	720	4 910	5 115
awning in 2 halves	840	6 035	6 155
	960	6 405	6 480
	1080	6 970	6 990
	1200	8 070	8 285

Tolerance in overall width is ± 2 cm

Without extra charge (in 2 halves) Surcharge for fully assemble

awning in two halves
with fabric rolled by
the projection

320

Arms quantity: 2 arms 3 arms 4 arms

Standard construction colours:

RAL
1013

In standard:


- Motor:
width <600 cm VECTRAN RTS NHK (S50-VE-RK)
width >600 cm TITAN RTS NHK (S100-TI-RK)
- ONLY wall brackets
- Valances p. 29
- Fabrics. brown & silver collection
- Angle of inclination. 15°

Extra charge:

- Fabrics. gold collection
- Front bar support p. 26
- Repainting the construction. + 30%

Real colours can be slightly different than colours above.


projection bigger than width




System „CROSS“



200 - 350 cm



180 - 360 cm



Arm joint



ADAGIO cassette (extra charge)

Net price [Euro]

width [cm]	projection [cm]				+ cassette (ADAGIO)
	200	250	300	350	
180	1 150	1 240	-	-	175
240			1 265	1 390	210
300	-	-	1 485	1 590	250
360	-	-	-	-	285

Extra charge for ADAGIO cassette

Tolerance in overall width is ± 2 cm

Standard construction colours:



In standard:

- Manual operation crank
- Wall or ceiling brackets p. 26
- Valances p. 29
- Fabrics . brown & silver collection
- Angle of inclination 15°

Extra charge:




- Motor p. 28
- Roof bracket p. 26
- Fabrics gold collection
- Front bar support p. 26
- Adagio cassette
- Repainting the construction . . + 20%

Real colours can be slightly different than colours above.

perfect for rain !



view from below



price [Euro]

	LED
	FRONT BAR
up to 6 m width	360



Net price [Euro]

width [cm]	projection [cm]			dimension [cm]	
	250	300	350	fabric	in total
310	1 190	-	-	289	302
360	1 230	-	-	349	362
420	1 405	1 425	1 570	406	419
480	1 405	1 425	1 570	466	479
540	1 525	1 555	1 715	524	537
600	1 675	1 695	1 860	584	598
angle	140°	140°, 170°	170°		

Tolerance in overall width is ± 2 cm

Standard construction colours:



In standard:

- Manual operation crank
- Wall or ceiling brackets p. 26
- Valances p. 29
- Fabrics . . brown & silver collection

Extra charge:


- LED in front bar
- Motor p. 28
- Roof bracket p. 26
- Fabrics gold collection
- Front bar support p. 26
- Repainting the construction . . . + 20%

Real colours can be slightly different than colours above.

Arms opening up to 90°
Optimal angle of inclination is 45°




CAPRI cassette



Standard bracket
Reduces costs and increases stability
Installation cheaper by 50 %

in CAPRI motor only SOMFY without NHK



Side brackets
(inside the recess, extra charge)

COMO
standard

CAPRI
in cassette
extra charge

Net price [Euro] CAPRI

width [cm]	projection [cm]			
	80	100	140	160
120	380	385	400	425
180	450	465	495	515
240	520	545	590	610
300	520	545	590	610
360	520	545	590	610
420	590	620	675	710
480	590	620	675	710

+ cassette (CAPRI)
80
120
165
200
240

dimension [cm]	
fabric	in total
115	125
173	183
231	243
289	301
349	361
406	419
466	479

possible cassette
CAPRI

Tolerance in overall width is ± 2 cm

Standard construction colours:



In standard:

- Manual operation crank
- Wall or ceiling brackets p. 26
- Valances p. 29
- Fabrics . . brown & silver collection
- Oval solution brackets

Extra charge:

- Motor p. 28
- Cassette (CAPRI)
- Fabrics gold collection
- Side arm brackets
(Como, Capri) p. 26
- Repainting the construction . . . + 20%

Real colours can be slightly different than colours above.

GARDA

balustrade awning

Net price [Euro]

	drop [cm]	width [cm]						
		120	180	240	300	360	420	480
Arms projection 60 cm	200							
	250	305	395	415	500	525	630	640
	300	320	425	440	540	570	680	690



Standard construction colours:



VERTICA

vertical awning

Net price [Euro]

height [cm]	width [cm]						
	120	180	240	300	360	420	480
200	295	400	420	530	560	660	680
250							
300	310	430	450	580	605	720	740


Extra charge for cassette CAPRI

80	120	165	200	240
----	-----	-----	-----	-----

possible cassette
CAPRI



Standard construction colours:



In standard:


- Min. width 80 cm
- Manual operation. crank
- Wall or ceiling brackets
- Valances (only GARDA) p. 29
- Fabrics . . . brown & silver collection
- A pair of arms (only GARDA) 60 cm

Extra charge:

- Motor (only VERTICA) p. 28
- Motor (in CAPRI cassette)
only SOMFY without NHK p. 28
- Repainting the construction . . + 20%

Tolerance in overall width is ± 2 cm

an awning... & a roller blind



MOL office building



Net price [Euro]

height [cm]	width [cm]		
	100	200	300
100	795	1 090	1 385
150	840	1 150	1 455
200	885	1 210	1 535
250	930	1 270	1 605

Tolerance in overall width is ± 2 cm

Standard construction colours:

RAL
9010

RAL
7016

In standard:


- Cassette
- Wall or ceiling brackets
- Fabrics . . brown & silver collection

Extra charge:


- Motor (required) p. 28
- Fabrics gold collection

Real colours can be slightly different than colours above.

classic, retractable, rounded



ATTENTION! We don't change the fabrics other producer.



Gear box

Net price [Euro]

		projection [cm]			
		80	100	120	140
3 parts	150	895	980	1 065	1 145
	200	955	1 040	1 130	1 205
	300	1 075	1 160	1 260	1 355
4 parts	400	1 290	1 400	1 510	1 615
	450	1 355	1 470	1 590	1 695

Grey cells - possibility to make rounded canopy.

ATTENTION:

In folding awnings creases are natural consequence of the technical properties of the fabrics.

Tolerance in overall width is ± 2 cm

Standard construction colours RAL:

RAL
1013

In standard:

- Retractable canopy with cord
- Fixed classic canopy
- Wall brackets
- Valance p. 29
- Fabric: brown and silver collection
- Without seasonal surcharge: VII-III month

Extra charge:


- Seasonal surcharge: IV-VI month 120 Euro
- Retractable canopy with gear box 137 Euro
- Rounded canopy 120 Euro (construction: anodized aluminum)
- Fabric gold collection
- Graphics on the fabric individual quotation
- Transport cost of unfolded awning 150 Euro

Real colours can be slightly different than colours above.

Pergola



Joining gutter (option)




ATTENTION

When placing an order:

- Please give the height on the wall (example below)

EXAMPLES (recommended angle 20°)



Net price [Euro]

width [cm]	projection [cm]			
	200	300	400	500
240	1 790	2 061	2 337	2 611
300	2 014	2 333	2 647	2 966
360	2 087	2 414	2 746	3 075
420	2 303	2 677	3 047	3 419
480	2 414	2 812	3 205	3 605


Tolerance in overall width is ± 2 cm

Standard construction colours RAL:

RAL 9010

Real colours can be slightly different than colours above.

For backyard gardens, restaurant gardens,
fairs and picnics



Standard construction colours:



Real colours can be slightly different
than colours above.



Net price [Euro]

projection [cm]	DUO width [cm]		SUPERDUO	
	360	420	480	600
2x250	2 395	2 555	2 320	3 340
2x300	-	2 890	2 525	3 500
2x350	-	-	2 725	3 560
roller tube	single		double	
extra charge	stand included		- stand 1530 Euro - hood price x 2	

In standard:

- Manual operation crank
- Fabrics . . . brown & silver collection


Extra charge:

- Motor p. 28
- Fabrics gold collection
- double-sided hood (only SUPERDUO)



Tolerance in overall width is ± 2 cm

Awning construction based on MEZZO



WALL - MOUNTED




www.joanna-perfetto.de

	A [cm]	B [cm]	numbers of crossbars
250	34	44	5
300	37	44	5
350	39	49	6
400	39	54	7
450	39	60	8
500	39	65	9
550	40	70	10
600	43	70	11
650	43	75	11

A - approximate height of the fabric package after folding

B - approximate depth of the fabric package after folding



Recommended decrease 10° C = 170 mm
1 m depth

H1 - height of column (standard 250 cm)

H2 - height of wall installation

control only by motor

Net price [Euro]

		depth [cm]	width [cm]							
			1 module				2 modules			
			250	300	400	500	500	600	700	800
standard rail	250	2 477	2 611	2 902	3 181	4 141	4 420	4 724	5 003	5 476
	300	2 623	2 781	3 084	3 388	4 384	4 687	5 015	5 319	5 829
	350	2 696	2 854	3 169	3 473	4 505	4 809	5 149	5 464	5 986
	400	2 841	2 999	3 339	3 667	4 748	5 064	5 416	5 756	6 314
	450	3 011	3 181	3 534	3 886	5 027	5 367	5 744	6 096	6 691
reinforced rail	500	3 121	3 303	3 679	4 044	5 209	5 574	5 974	6 351	6 958
	550	3 376	3 570	3 959	4 347	5 610	5 999	6 411	6 812	7 456
	600	3 485	3 679	4 092	4 505	5 804	6 205	6 642	7 055	7 735
	650	3 679	3 898	4 323	4 760	6 132	6 545	7 006	7 444	8 160

In standard:

- fabric PRECONSTRAINT 302
- construction color Antracyt
- angle of inclination 8-12°
- 3rd class of wind resistance
- hood
- drainage of water - gutter
- side seals

Extra charge:


- fabric SOLTIS W96..... 15 Euro/m²
- LED light: (strip) 45 Euro/lm
remote control + power supply) . 85 Euro
- motor:
KE RTS (1 module) 240 Euro
SOMFY iO (1 module) 380 Euro
SOMFY iO (2 modules)..... 430 Euro
- ceiling brackets 95 Euro

ROOF - MOUNTED

assembled to existing construction



Pergola after folding



installation between wall and column

Application on existing constructions e.g.


- wood
- steel
- concrete

Net price [Euro]

depth [cm]	width [cm]								
	1 module				2 modules				
	250	300	400	500	500	600	700	800	900
250	1 785	1 894	2 113	2 319	2 999	3 206	3 412	3 631	3 971
300	1 943	2 052	2 295	2 526	3 254	3 473	3 704	3 946	4 311
350	2 016	2 137	2 380	2 611	3 376	3 606	3 849	4 092	4 481
400	2 161	2 283	2 550	2 805	3 606	3 861	4 129	4 396	4 809
450	2 331	2 465	2 756	3 036	3 898	4 165	4 456	4 736	5 197
500	2 514	2 659	2 987	3 291	4 201	4 505	4 821	5 136	5 646
550	2 623	2 781	3 096	3 424	4 371	4 687	5 015	5 331	5 853
600	2 732	2 902	3 242	3 582	4 566	4 894	5 246	5 586	6 132
650	2 902	3 084	3 449	3 801	4 845	5 197	5 561	5 926	6 509

In standard:


- fabric PRECONSTRAINT 302
- construction color Antracyt
- angle of inclination 8-12°
- 3rd class of wind resistance
- hood
- drainage of water - gutter
- side seals



ceiling installation


Extra charge:

- fabric SOLTIS W96 15 Euro/m
- LED light: (strip) 45 Euro/ln
- remote control + power supply) .. 85 Euro
- motor:
- KE RTS (1 module) 240 Euro
- SOMFY iO (1 module) 380 Euro
- SOMFY iO (2 modules) 430 Euro




side installation


column




foot




rail



fabric crossbar



tension crossbar



Attention: applies to pergolas wall-mounted & roof-mounted



SQUARE



**Modern, simple pergola designed
according to the latest trends in architecture.**

available from July!

SQUARE



**Prices according
tables Shade Home
p. 20 and 21**

BELL & CLEO

Side leg

Central leg

BELL



diameter 420 cm, 8 pieces, height 300 cm



Closed parasol

- Opening by crank
- Telescopic construction
- Rounded base, weight 168 kg
- Cover - 150 Euro

1 945 Euro


FABRICS



Lime raindrops




Gold raindrops



Orange raindrops



Natural



Dark green

CLEO



diameter 400 cm, 8 pieces, height 300 cm



Closed parasol

- Opening by easyshift - handle
- Telescopic construction
- Square base, weight 118 kg
- Cover - 150 Euro

1 165 Euro

RADIANT HEATER



PRO-01



Remote control



565 Euro



Description:

- Power 2 kW
- Dimensions 54x10 cm
- Security class Ip65
- Heating surface 12m²
- Control remote control
(4 heating phases) 25%, 50%, 75%, 100%

Standard construction colour RAL:



Real colours can be slightly different than colours above.





ADDITIONAL

INFO

ARMS, BRACKETS


Awning type	Width [cm]	Arms (pcs.)						Brackets (pcs.)		Fabric pcs.
		Projection [cm]						Wall/ ceiling	Central	
		150	200	250	300	350	400			
CROSS	240-299	2	2	2	-	-	-	2	0	3
	300-360	2	2	2	-	-	-	2	0	3
	361-480	2	2	2	2	2	-	3	0	4
	481-540	3	3	2	2	2	2	4	0	5
PIANO	541-600	3	3	3	3	2	2	4	1	5
ALLEGRO	601-660	3	3	3	3	2	2	5	1	6
ADAGIO	661-720	3	3	3	3	3	3	5	1	6
	721-780	-	-	3	3	3	3	5	1	7
MEZZO	781-840	-	-	4	3	3	3	5	1	7
FORTE	841-960	-	-	4	4	4	3	6	1	8
	961-1020	-	-	4	4	4	4	6	2	9
	1021-1080	-	-	5	4	4	4	6	2	9
	1081-1200	-	-	5	5	4	4	7	2	10

and spare parts

Awning type	Wall bracket [pc.]		Ceiling bracket [pc.]		Rafter bracket [pc.]		Side bracket COMO, CAPRI [pc.]	
Code	MW-W02..... (colour)	22,00	ME-S01..... (colour)	26,00	MR-S03..... (colour)	39,00	MN-W08..... (colour)	12,00
PIANO MEZZO FORTE CROSS ADAGIO ALLEGRO								

colours description: b - RAL-9016; k - RAL-1013; s - RAL-9006; r - RAL-8017; t - anthracite

Code Projection Price	Arms [pc.] MEZZO, ADAGIO, FORTE	Code Projection Price	Arms [pc.] VIVO, PIANO, PRESTO	Arm support [pc.] MEZZO, ADAGIO, PIANO
ME-M25L..... ME-M25P..... 2,5 m - 124 Euro		ME-P15L..... ME-P15P..... 1,5 m - 98 Euro		MM-WREL..... MM-WREP..... 54 Euro
ME-M30L..... ME-M30P..... 3,0 m - 140 Euro		ME-P20L..... ME-P20P..... 2,0 m - 106 Euro		
ME-M35L..... ME-M35P..... 3,5 m - 166 Euro		ME-P25L..... ME-P25P..... 2,5 m - 110 Euro		
ME-F40L..... ME-F40P..... 4,0 m - 336 Euro		ME-M30L..... ME-M30P..... 3,0 m - 140 Euro		FORTE ME-F01L..... ME-F01P..... 145 Euro



Service description	Price for fabric collection [Euro/m²]*		
	brown	silver	gold
Fabric sewing (without exchange on awning)	40	45	50

* Price is charged for each m²

* Calculation min. 3 m²

Awning visualization 35 Euro (without discount)

Overprint on fabric or valance quotation


FRONT BAR SUPPORT For wind protection

- Easy assemble and disassemble
- Adjustable height from 150 up to 250 cm
- Allows to use the awning in windy days
- Not recommended for awnings with motors
- Not to be used for awnings with wind sensor



ATTENTION! We don't change the fabrics in awnings of the other producer.

Products

Type	Description	Code	Price		Required for one bracket	Application
			EUR	Unit		
 Threaded rod - stainless steel	Ø 12 x 150 mm	MM-12x16	3,00	set	2	Installation without insulation
	Ø 12 x 300 mm	MM-12x30	3,50	set	2	Insulation max 15 cm
 Steel injection anchor sleeve	Ø 16 x 1000 mm	MM-SS1-s	18,00	pc.	25 cm	Perforated brick masonry
 PVC injection anchor sleeve	Ø 16 x 130 mm	MM-SP1-s	1,00	pc.	2	Perforated brick masonry
 Glue	KOELNER 300 ml	MM-K30-s	18,00	pc.	ok. 50 ml	All types of base
	KOELNER 175 ml	MM-K17-s	14,00	pc.		
 Aluminum spacer cube 120 x 55 x 110 mm	9016	MU-A02-b	10,00	pc.	1	Insulation 5 - 10 cm
	1013	MU-A02-k			2	Insulation 11 - 20 cm
 Spacer tubes + washers	Ø 50 x 110 mm	MU-T11-a	9,00	pair	1	Insulation 5 - 11 cm
	Ø 50 x 160 mm	MU-T16-a	13,00		1	Insulation 12 - 16 cm
	Ø 50 x 210 mm	MU-T21-a	16,00		1	Insulation 17 - 21 cm
1 lb + 9 washers	Ø 50 x 1000 mm	MU-T00-a	36,00	set	-	Individual solutions

Tools

Type	Description	Code	Price		Application
			EUR	Unit	
 Application gun	Dispenser	MM-N01-s	48,00	pc.	For glue application
 Hole saw	Ø 50 mm	MM-N02-s	119,00	pc.	Cutting a hole for PVC spacer tubes
 Blow-out pump ABG		MM-N03-s	38,00	pc.	For blowing into holes to remove excess dust

AWNINGS WITHOUT CASSETTE

somfy.			
MOTOR + SWITCH	without emergency crank		
	width [cm]	Catalogue no	Price €
	<480	S25-GE-WO	345
	<840	S50-VE-WO	380
	≥840	S100-TI-WO	470
MOTOR IO + REMOTE	NHK (with emergency crank)		
	≥840	S100-TI-WK	530
MOTOR IO + REMOTE	without emergency crank		
	<480	S40-SU-IO	545
	<600	S70-SU-IO	570
	≥600	S100-SU-IO	625
	>800	S120-SU-IO	665
MOTOR + REMOTE	NHK (with emergency crank)		
	≥600	S100-TI-RK	640
MOTOR + REMOTE	somfy.		
	NHK (with emergency crank)		
	<480	S30-SU-RK	545
	≥480	S50-SU-RK	555
MOTOR + SWITCH	torro		
	without emergency crank		
	width [cm]	Catalogue no	Price €
	<720	T50-12-WO	235
	NHK (with emergency crank)		
MOTOR + REMOTE	<720	T50-17-WK	285
	without emergency crank		
MOTOR + REMOTE	<720	T50-12-RO	330
	NHK (with emergency crank)		
MOTOR + REMOTE	<720	T50-12-RK	360

SEMI-CASSETTE AWNINGS

somfy.			
MOTOR + SWITCH	without emergency crank		
	width [cm]	Catalogue no	Price €
	<480	S25-GE-WO	345
	<840	S50-VE-WO	380
	≥840	S100-TI-WO	470
MOTOR IO + REMOTE	NHK (with emergency crank)		
	≥840	S100-TI-WK	530
MOTOR IO + REMOTE	without emergency crank		
	<480	S40-SU-IO	545
	<600	S70-SU-IO	570
	≥600	S100-SU-IO	625
	NHK (with emergency crank)		
MOTOR + REMOTE	<480	S30-SU-RK	545
	≥480	S50-SU-RK	555
MOTOR + SWITCH	torro		
	without emergency crank		
	width [cm]	Catalogue no	Price €
	<720	T50-12-WO	235
	NHK (with emergency crank)		
MOTOR + REMOTE	<720	T50-17-WK	285
	without emergency crank		
MOTOR + REMOTE	<720	T50-12-RO	330
	NHK (with emergency crank)		
MOTOR + REMOTE	<720	T50-12-RK	360

FULL-CASSETTE AWNINGS

somfy.			
MOTOR + SWITCH	without emergency crank		
	width [cm]	Catalogue no	Price €
	<480	S40-SU-IO	545
	≥480	S70-SU-IO	570
	NHK (with emergency crank)		
MOTOR IO + REMOTE	<480	S30-SU-RK	545
	≥480	S50-SU-RK	555
MOTOR + SWITCH	torro		
	without emergency crank		
	width [cm]	Catalogue no	Price €
	<720	T50-12-WO	235
	NHK (with emergency crank)		
MOTOR + REMOTE	<720	T50-17-WK	285
	without emergency crank		
MOTOR + REMOTE	<720	T50-12-RO	330
	NHK (with emergency crank)		
MOTOR + REMOTE	<720	T50-12-RK	360

ONLY IN SET (wired)		
		615 [Euro]
Recommended for Pergola Shade Home and Veranda		



1-channel remote control Situo 1 Io



5-channel remote control Situo 5 Io



5-channel remote control Situo Variation Io



Sun sensor Sunis WireFree Io work only with TaHoma or Connexoon Box



Shock sensitive sensor Eolis 3D WireFree Io


If you don't have TaHoma system, you need to buy remote control Situo Variation Io

Optional equipment		somfy.			
Wind sensor Eolis WireFree io	Only for io motors	SCW-WIR-IO	200	CONNEXOON	400
Shock sensitive sensor Eolis 3D WireFree io		SCW-IO	200	TaHoma ^{xt}	625
Sun sensor Sunis WireFree io		SCS-IO	180		
1-channel remote control Situo 1 io		SP1-IO	60		
5-channel remote control Situo 5 io		SP5-IO	110		
5-channel remote control Situo Variation io		SP5-VA-IO	150	torro	
Wind sensor	only for RTS motors	SCW-EO	180	TCS-SW	145
Shock sensitive sensor Eolis 3D		SCW-3D	180	-	-
1-channel remote control Telis		SP1-RO	55	TP1-RO	50
5-channel remote control Telis		SP5-RO	110	TP5-RO	95
Wall switch	only for wired motors	SWI-WO	30	TWI-WO	30
Wall switch Smoove Origin io	only for wired io motors	SPI-IO	70	-	-

1-channel remote control SP1-Io (SOMFY) or TP1-RO (TORRO) included in price.




Wind sensor Eolis WireFree Io






Sensor sun-wind-rain for motors TORRO RTS

VALANCES



Recommended for cassettes and semi-cassettes



Recommended for cassettes and semi-cassettes




SMALL SAMPLES


ADAGIO 30 Euro



PRESTO 50 Euro



ELEGANCE 60 Euro



MODERNO 70 Euro



Attention: awnings for exhibition with a preferential 70 % discount, we make only in the width 240 cm.

EXTRA CHARGE FOR GOLD COLLECTION OF FABRICS ACCORDING m² OF AWNINGS [Euro/m²]

COPPER	BRONZE	SILVER	GOLD
DISCOUNT			EXTRA CHARGE
- 6 Euro/m ²	0 Euro	0 Euro	+ 35 Euro/m ²

COPPER	BRONZE		SILVER	GOLD
PATTERN	PLAIN	PATTERN	PATTERN	
CAS - 030 CAS - 037 CIT - 407 COL - 345 LED - 2782 LED - 8121 LED - 8661 ORC - 6287 ORC - 6319 ORC - 6610 ORC - 6689 ORC - 7562 ORC - 8219 ORC - 8620 ORC - 8959 REC - 110 REC - 149 REC - 158 REC - 272 RIS - 531 SAT - 637 SAT - 718 SWE - 372 SWE - 411 SWE - 442 SWE - 451 SWE - 655 SWE - 672 SWE - 710 T - 939/12 T-5354/52 T-944/12 T-26/15 UNI - 5003 UNI - 5048 UNI - 923 UNI - 925 UNI - 935 POLIESTER SWE - 405 P SWE - 413 P SWE - 995 P SWE - 456 P SWE - 817 SWE - 828	REC - 099 REC - 101 REC - 102 REC - 103 REC - 104 REC - 114 REC - 115 REC - 117 REC - 122 REC - 126 REC - 138 REC - 139 REC - 142 REC - 143 REC - 148 REC - 152 REC - 164 REC - 169 REC - 170 REC - 172 REC - 173 REC - 177 REC - 181 REC - 182 REC - 194 REC - 195 REC - 196 REC - 198 REC - 224 REC - 243 REC - 415 REC - 554 REC - 770 REC - 775 REC - 779 T-16 T-56 T-407/7 T-407/11 T-986/15 T-986/106 T-986/727 T-1300 T-1330/510 T-1330/504 T-5406/15 T-5406/52 T-5406/107 T-5407/6 T-5407/15 T-5407/17 T-5407/52 T-5407/107 T-6236/190 T-6248/190	CIT - 165 CIT - 170 CIT - 171 CIT - 228 CIT - 230 CIT - 361 CIT - 433 CIT - 448 CIT - 502 CIT - 504 CIT - 551 CIT - 643 ORC - 6273 REC - 060 REC - 070 REC - 085 REC - 086 REC - 089 REC - 093 REC - 094 REC - 095 REC - 096 REC - 097 REC - 098 REC - 231 REC - 350 REC - 352 REC - 362 REC - 425 REC - 445 REC - 465 REC - 720 REC - 798 REC - 812 T- 950/24 T- 5348/79 T-5355/106 T-5371/106 VAS - 504 VAS - 541 VAS - 547 VAS - 563 VAS - 573 VAS - 588 PCW - 0000 PCW - 1003 PCW - 1014	ORC - 8931 ORC - 8935 ORC - D100 ORC - D108 ORC - D113 ORC - D319 ORC - D324 SUN - 5116 SUN - 5121 SUN - 5128 SUN - 5372 SUN - 5382 SUN - 5386 SUN - 5387 SUN - 5388 SUN - F037 SUN - F038 SUN - F048 T- 5371/727 T- 5396/930 T- 5397/929 T- 5397/930 T- 5398/97 T- 5399/107 T- 5399/15 T- 5399/52 T- 5399/94 T- 5404/106 T- 5404/97 T- 939/58 T- 966/426 T- 944/926 SWE - 812 SWE - 815 SWE - 818 SWE - 826 SWE - 827 SWE - 829 SWE - 851 SWE - 852 PCW - 2004 PCW - 3002 PCW - 5005 PCW - 5015 PCW - 6018 PCW - 6026 PCW - 7037 PCW - 8017 PCW - 9005 PCW - 9006 PCW - 9010	AIR - D245 AIR - D246 AIR - U327 AIR - U329 AIR - U331 AIR - U360 EAR - J110 EAR - J113 EAR - J115 EAR - J116 RWD - 099 RWD - 100 RWD - 102 RWD - 103 RWD - 117 RWD - 138 RWD - 139 RWD - 156 RWD - 160 RWD - 161 RWD - 163 RWD - 164 RWD - 165 RWD - 170 RWD - 172 RWD - 173 RWD - 176 RWD - 177 RWD - 181 RWD - 182 RWD - 195 RWD - 554 RWD - 567 RWD - 775

Available while stocks last, look: www.mol.net.pl/tkaniny

Fabrics Recasystem - WATERPROOF

Production time + 1 week

ACRYLIC

POLYESTER

PVC for Canopy awnings

SPECIFICATION OF ACRYLIC FABRICS

Specification			Characteristics			
Our reference	Origin		Weight [g/m ²]	UV resistance	Tensile strength [N/5cm]	
	Country	Supplier	UNE-EN ISO 2286-2	UNE-EN ISO 105 B04	Along the warp	Along the thread
CIT...	Spain	Citel	295	7 - 8/ 8°	1300	750
REC...	Spain	Recasens	290	7 - 8/ 8°	1300	780
T...	Italy	Para	300	7 - 8/ 8°	1600	860
SUN.../DIC.../ORC...	France	Dickson	290	4 - 5/ 5°	1400	900


UV resistance:

Fabrics	Energetic: % of heat			Optical: % of visible light
	Ts Solar (transmission)	Rs Solar (reflection)	As Solar (absorption)	Tv Solar (transmission)
Dark	0,33 - 16,19	6,95 - 48,48	35,33 - 92,72	0,33 - 7,08
Light	11,7 - 26,98	40,87 - 64,82	8,20 - 47,43	5,16 - 27,09


Nature of awning fabrics:

Despite the highest quality, there may be some imperfections on the fabric caused by the nature and properties of acrylic or polyester yarn and the necessity of sewing it or wrapping the edges.

1) Ripples: due to small movements during sewing, all fabrics impregnated with fluoride resins may have little ripples visible on the light, resulting refraction of sunlight.



2) Ruffles: in the consequence of joining a fabric and wrapping the edges (double fabric thickness), ruffles similar to herringbone may occur.



3) Lines „Veins“: using resins that contain fluorides causes visible lines on the fabric in the place of crease - mainly noticeable on polyester fabrics.



PLEASE NOTE! All above imperfections are a consequence of natural characteristics of the fabric and it has to be familiar to the final users. It cannot be a cause of claim.

short price list 2019/2020

Net price [Euro]

AWNINGS WITHOUT CASSETTE										
projection [cm]	type	width [cm]								max 1200
		240	300	360	420	480	540	600	720	
150	VIVO p. 8	610	680	680	800	800	-	-	-	-
	PIANO p. 9	730	835	835	950	950	-	-	-	-
200	VIVO p. 8	-	725	725	855	855	-	-	-	-
	PIANO p. 9	-	875	875	1 005	1 005	-	-	-	-
250	VIVO p. 8	-	795	795	910	910	-	-	-	-
	PIANO p. 9	-	920	920	1 065	1 065	-	-	-	-
	MEZZO p. 7	-	-	995	1 160	1 160	1 310	1 670	1 850	3 300
300	MEZZO p. 7	-	-	-	1 260	1 260	1 390	1 750	1 965	3 540
350	MEZZO p. 7	-	-	-	1 360	1 360	1 505	1 700	2 115	3 745
	FORTE p. 10	-	-	-	-	1 690	1 905	1 905	2 455	3 875
400	FORTE p. 10	-	-	-	-	1 825	1 990	1 990	2 550	4 015

CASSETTE AWNINGS									
projection [cm]	type	width [cm]							
		240	300	360	420	480	540	600	720
150	ADAGIO p. 6	980	1 120	1 225	1 450	1 450	1 770	2 010	2 225
200	ADAGIO p. 6	-	1 165	1 285	1 530	1 530	1 865	1 940	2 335
	PRESTO p. 4	-	1 525	1 605	1 890	1 890	2 195	-	-
	ELEGANCE p. 3	-	2 045	2 120	2 315	2 315	-	-	-
250	ADAGIO p. 6	-	1 275	1 385	1 650	1 650	1 830	2 115	2 395
	PRESTO p. 4	-	1 630	1 715	2 015	2 015	2 210	-	-
	ELEGANCE p. 3	-	2 155	2 245	2 440	2 440	-	-	-
	NOWA p. 5	-	-	2 205	2 305	2 305	2 780	2 780	3 165*
	MODERNO p. 2	-	2 730	2 730	2 730	3 115	3 605	3 605	-
300	ADAGIO p. 6	-	-	-	1 720	1 720	1 920	2 205	2 495
	PRESTO p. 4	-	-	-	2 105	2 105	2 300	-	-
	ELEGANCE p. 3	-	-	2 395	2 595	2 595	-	-	-
	NOWA p. 5	-	-	-	-	2 520	2 805	2 805	3 390*
	MODERNO p. 2	-	-	-	3 205	3 205	3 745	3 745	-
350	ADAGIO p. 6	-	-	-	1 830	1 830	2 050	2 135	2 670
	NOWA p. 5	-	-	-	-	2 635	2 920	2 920	3 640*
	MODERNO p. 2	-	-	-	3 370	3 370	3 920	3 920	-

*Awning **NOVA** up to 700 cm